

WHAT IS CLAIMED IS:

1. A composition for treating acne comprising:

an anti-inflammatory agent combined with a second agent  
that stimulates the production of an enzyme which digests a  
cementing substance contained within epidermis skin.

2. The composition as defined in Claim 1 wherein the  
anti-inflammatory agent is selected from the group consisting of  
curcumin, polyphenols and corticosteroids.

3. The composition as defined in Claim 1 wherein said  
second agent is from the group consisting of citric acid, ascorbic  
acid, azelaic acid, glycolic acid, acetic acid and hydroxy acids.

4. The composition as defined in Claim 1 wherein the  
amount of anti-inflammatory agent is within the range of .0001  
percent to 10 percent by volume.

5. The composition as defined in Claim 1 wherein said  
second agent is added sufficiently to said composition to obtain  
a pH of between 4.5 to 5.5.

6. A composition for treating acne comprising the following ingredients: water-60 to 85 percent by volume, alcohol-5 to 30 percent by volume, cellulose-0.1 to 10 percent by volume, urea-0.1 to 5 percent by volume, carbomer-0.1 to 5 percent by volume, curcumin-.0001 to 10 percent by volume; and add citric acid until the overall pH is within the range of 4.5 and 5.5.

7. A medicine for treating acne comprising the following:

an orally administered Vitamin A in the dosage of 150,000 I.U. to 500,000 I.U. daily combined with a topical gel composition of an anti-inflammatory agent combined with a second agent that stimulates the production of an enzyme which digests a cementing substance contained within epidermis skin.

8. The medicine is defined in Claim 7 wherein the anti-inflammatory agent is selected from the group consisting of curcumin, polyphenols and corticosteroids.

9. The medicine as defined in Claim 7 wherein said second agent is from the group consisting of citric acid, ascorbic acid, azelaic acid, glycolic acid, acetic acid and hydroxy acids.

10. The medicine as defined in Claim 7 wherein the amount of anti-inflammatory agent is within the range of .0001 percent to 10 percent by volume.

11. The medicine as defined in Claim 7 wherein said second agent is added sufficiently to said composition to obtain a pH of between 4.5 to 5.5.